



Campagnolo

2015



TRIATHLON TIME TRIAL

COMPONENTS 108

WHEELS 112

Running against time and winning.

When the margin of victory is measured in millimeters or milliseconds the smallest things count and perfection is the ultimate goal. To give you all of this Campagnolo® has designed and developed, in collaboration with the best Triathlon and Time Trial athletes, the range dedicated to these disciplines. With new technology such as bar-end brake levers that allow you to change gears you can see that Campagnolo® is making sure that technical advantages are within your grasp in your quest for victory atop your triathlon or TT bike. The starting gun has sounded. With Campagnolo® triathlon/TT equipment you will reach the finish line faster and fresher than you ever imagined.

EPS™ CONTROLS

Triathlon and Time Trial athletes should not feel like they are in a balancing act. Just as any other athlete, they should feel in control no matter what position they are in. The Bar-End and Brake controls for EPS™ give the rider complete control from any hand position. More control translates into better confidence and more time to concentrate on your performance. The EPS™ TT controls have been designed to not only offer easy accessibility but also to allow the rider to maintain the absolute best aerodynamic position possible. One simple click from any position and you are one step closer to victory.

EPS™ BAR-END CONTROLS



Back-to-zero position:
allows the lever to return always to its initial position. Reduces effort required to shift and maintains the lever in the most aerodynamic position.

Multi-Dome Tech™:
the 5-dome technology perfected by Campy Tech Lab™ together with Campagnolo athletes has made it possible to strike the perfect balance between operating force and tactile shift feedback. It also eliminates the possibility of unintentionally shifting the rear or front derailleur.

Multi-shifting System™:
lets the rider shift up or down by up to 11 sprockets in a single action!

Switch Mode button:
the “mode” buttons allow the user to check battery charge, make fine adjustments to the rear or front derailleur - even in the middle of a race (with the “ride setting” procedure), and set the zero position of the rear and front derailleur (“zero setting” procedure).

100% water-proof:
all control components are built to operate in any weather conditions in compliance with the IP67 standard.

EPS™ BRAKE CONTROLS



Aerodynamic profile:
maximum aerodynamic coefficient.

Quick-release system:
it makes it easier to install and remove the wheel and allows, even during the race, to open the distance between the rim and the brake pads.

Ergonomic profile for the levers:
maximum safety and adjustable braking system.
- Carbon fibre (Record™ EPS™)
- Aluminium (Chorus™ EPS™).

One lever-One action:
each lever of the control set has its own distinct function. This means absolute certainty of using the right control in all conditions (winter temperatures and gloves, poor road conditions etc.), eliminating the risk of error.

DTI™ EPS™ INTERFACE

Designed for Triathlon and Time Trial bicycles, the EPS™ interface has two separate cable inputs for use both with Bar End levers and brake lever controls. This ultra-light component may be installed on either the brake cables or the handlebar mount.

DTI™ EPS™ V2 BAR-END INTERFACE

24 g



RECORD™ EPS™
CHORUS™ EPS™


Analogue-digital signal conversion:
transforms the analogue signals received from the controls into the digital signals transmitted to the Power Unit.

RGB led:
visualises battery charge status.

“Zero setting” and “Ride setting”:
used to set the initial configuration of the components and make fine adjustments during a race.

Two possible interface mounting options:
the unique design of the interface lets the user choose whether to install it on the brake cable or on the handlebar mount.

Dual output cables:
allow the Bar and brake commands to be managed simultaneously.



BAR-END CONTROLS

Designed using the hands of the world's greatest athletes by the best engineers at Campagnolo®. Every single detail has been studied and each and every product tested in the real world by top athletes. The engineers of the Campy Tech Lab™, realizing the importance of even the most minute details in TT/TRI, set about to develop solutions such as Back-to-Zero technology that allow the lever to always remain in the most aerodynamic position as well as the Multi-Shifting System™ that allows the rider to change 3 gears with only one simple and swift movement. More aero, more ergonomic and more efficient, the bar-end controls for mechanic transmissions are your best ally in your fight against the clock.

BAR-END CONTROLS



155 g
Carbon **NEW**




167 g
Aluminium



11S Carbon 11S Aluminium 10S Aluminium

Back-to-zero position:

it allows the lever to maintain the initial position selected by the athlete. It reduces the effort required to shift it and to keep the lever in a position of maximum aerodynamic efficiency.



Multi-shifting System™:

possibility to shift up or down up to 3 cogs at a time.




Adjustable initial position:

it allows you to place the controls in a fully ergonomic position with respect to the shape of the handlebar and the personal position of the hands.



External cable connection:

cables are easy to install and remove – there is no need to remove the controls.



New indexed bushing (only for 11S Carbon version):

Perfectly synchronized with the new Super Record™, Record™ and Chorus™ derailleurs and gears. Upshifting occurs in three clicks, downshifting in one (keeping an additional click for adjusting trim on the final sprockets)

BAR-END BRAKE LEVERS

86 g
Carbon
NEW



106 g
Aluminium

Aerodynamic profile:

maximum aerodynamic coefficient.



Quick-release system:

it makes it easier to install and remove the wheel and allows, even during the race, to open the distance between the rim and the brake pads.




Ergonomic profile for the levers:

maximum safety and adjustable braking system.



2 available versions:

- carbon fiber lever (86 g)
- aluminium lever (106 g)



BORA™ ULTRA™ TT



Tubolar: 975 g NEW

In the race against time the stopwatch is your most feared adversary. To have an advantage over him you need not only great physical condition but also a technological advantage in the form of the best equipment. Campagnolo® engineers have worked painstakingly to produce the newest evolution of the disk wheel, the BORA™ ULTRA™ TT. Campagnolo continues a long history of TT victories with the Bora™ Ultra™ TT and with its extreme lightweight, efficient aerodynamics, low rolling resistance and highly reactive performance this wheel is sure to bring along an even longer list of victories.

Right side

Left side



QUICK RELEASE



Completely redesigned and lighter aerodynamic profile wheel block.


RIM

DISC

HUB



Full High Modulus Carbon rim for tubular



Brake pads made especially for carbon wheels:

the new blend increases the brake performance on both dry and wet surfaces without increasing the wear and tear on the pad or wheel.

Braking surface:

newly developed full carbon rim uses carbon braking surface in an effort to add uniform braking performance in addition to saving weight.



Full carbon disc in a specially developed weave

Profile:

extreme new design reduces profile on both drive and non-drive sides for an even slimmer and more aerodynamic design.

New graphics:

Renewed graphics are the perfect match for the new Bora™ Ultra™ wheels.



Bearings with CULT™ technology:

the combination between the highest quality ceramic bearings and housing in special Cronitex® steel. CULT™ makes the wheel nine times smoother than the standard system of steel bearings.

Cup and cone bearings:

easy bearing adjustment – reduces possible bearing play – precision operation – maintains performance over time.

Lightweight and extremely rigid aluminum hub construction

Cassette:

compatible with Campagnolo® 10 and 11 speed cassettes as well as Shimano Inc. 9, 10, and 11 speed cassettes.

SUGGESTED WHEELS

Think of a wheel with the best aerodynamics possible together with superlative reactivity and lightness. Now combine these attributes with aggressive, decisive graphics and your bicycle is ready to tackle any time trial or triathlon. A range of profiles from 50 to 80 mm, offered as all-carbon fibre versions or with a carbon wheel rim and aluminium braking rim, and available for clincher or tubular tyres. Campagnolo® offers a comprehensive range of Triathlon and Time Trial wheels catering for all possible needs.

BORA™ ULTRA™ 80



BORA™ ULTRA™ 50



BORA™ ONE™ 50



BULLET™ ULTRA™ 80mm



BULLET™ ULTRA™



BULLET™ 80mm



BULLET™





CYCLOCROSS

Intensity, obstacles, fatigue, mud and snow.

Since its origins, it has been a tough sport, a competition that is a heart-in-mouth experience for an hour: a specialist only for the chosen few willing to do battle with their adversaries in extreme conditions. From today a sport open to more "heroes" thanks to the Campagnolo® groupsets and wheels available not only for aficionados of the road bike but also for fans of off-road models.

For "pure" cyclocross riders, Campagnolo® has developed two specific wheel models, Scirocco™ 35mm CX and Khamsin™ Asymmetric CX, preserving the product's durability thanks to the double seal that prevents water and mud getting into the hubs.

SCIROCCO™ 35mm CX

Clincher: 1725 g

The 35mm rim is perhaps the most versatile profile available, offering the best of both worlds, an aerodynamic advantage that weighs less than a 50mm and offers less interference in cross wind situations. This advantage is no longer limited to full carbon wheels as the Scirocco™ 35mm CX is available with the same profile. Aero advantage, less mud accumulation, extremely rigid and reactive and an aluminum braking surface for sure-footed stopping power in the roughest conditions. Special cyclocross construction ensures that this wheel keeps rolling despite the rigors of the cyclocross season's tough environment.

Rear wheel



Front wheel



QUICK RELEASE



Completely redesigned and lighter wheel block.

RIM



35 mm profile for clincher tyre: translates into an aerodynamic advantage while being extremely easy to handle even in a cross wind.

SPOKES




Front: 16 spoke variable profile Aero radials in stainless steel.
Rear: 21 spoke variable profile Aero in stainless steel with doubling on the cassette side.

HUB



Additional seal: keeps the bearing zone clean and smooth running, maintaining performance over time.




Dynamic Balance™: every point of the rim is counter-balanced by an equal weight on the opposite side. Maximum stability of the wheel even at high speeds.



Exclusive Mega-G3™ spoke pattern: perfect balance of the spoke tensions on both sides of the wheel. Reduces stress, increases transversal rigidity and the transmission of power to the wheel. Mega-G3™ eliminates vibrations even with "heavy" cyclists.

Spokes anti-rotation system: allows the spokes to maintain the best aerodynamic position.



Aluminium hub body

Aluminium nipples

Aluminium axle: reduces wheel weight.

Upsize flange Mega-G3™ cassette side: increases torsional stiffness, greater reactivity with each change in the cyclist's pace.


KHAM SIN™ ASYMMETRIC CX

Clincher:1750 g

The Khamsin™ Asymmetric CX is the entry level wheel for the CX family but it is every bit as competitive as other models that compete in a higher category. With advanced characteristics such as oversized flange and Spoke Dynamic Balance™ technology it is clear that this wheel is a step above your normal entry level wheel. Campy Tech Lab™ engineers have pushed the quality of this wheel even further incorporating an asymmetric rear rim that provides increased performance in terms of lateral and torsional rigidity as well as reactivity. New design and performance coupled with specific Campagnolo® CX construction hubs that ensure perfect functionality despite the mud, sand and water of cyclocross make this wheelset a must have for the upcoming season.

Rear wheel

Front wheel



QUICK RELEASE



Steel spine and eccentric, aluminum lever and die.

RIM



Differentiated rim height:

24 mm at the front to provide optimal handling; 27,5 mm at the rear for a slight aero advantage and increased power transfer.



New asymmetric rim profile:

asymmetrical rear rim profile allows for better balancing of spoke tensions between drive and non drive side, giving better symmetry to an asymmetric component. Increased efficiency and reactivity are sure to be noted.

Dynamic Balance™:

every point of the rim is counter-balanced by an equal weight on the opposite side. Maximum stability of the wheel even at high speeds.

SPOKES



Straight-head spoke (left side):

maximum stiffness of the wheel – maintains the spoke tension and long-lasting performance.



Radial lacing pattern of spokes

HUB



Oversized flange:

increases the torsional stiffness, increasing reactivity at each change of pace of the cyclist.



Aluminium axle:

reduces the weight of the wheel.

Sealed bearings:

maintains performance over time – longer bearing life.

Additional seal:

keeps the bearing zone clean and smooth running, maintaining performance over time.

RECOMMENDED GROUPSETS AND WHEELS

The extreme tests carried out by the Campy Tech Lab certify how components developed for the road, with high targets of smoothness, weight and stiffness, can also be used on muddy cyclocross trails. Athena™ and Veloce™ are ready to accompany you on your challenges on trails and the steepest of ramps, but don't settle for anything but the best: Campagnolo® lets you face obstacles and mud with the Super Record™ EPS™, Record™ EPS™ and Chorus™ EPS™ groupsets, which when used with Comp Ultra™ or Comp One™ cranksets, allow you to assemble the specific chainring combination for your cyclocross race. Scirocco™ 35mm CX and Khamsin™ Asymmetric CX have been studied specifically for your sport, but feel free to browse the Campagnolo® range of wheels:

BORA™ ULTRA™ 50



BORA™ ULTRA™ 35



BORA™ ONE™ 50



BULLET™ ONE™ 35



HYPERON™ ULTRA™ TWO



SHAMAL™ ULTRA™




ZONDA™



NEUTRON™





RECORD™ PISTA™

The Record™ Pista™ groupset is a set of high-range components designed to excel in the velodrome. It includes the crankset, hubs and bottom bracket. Three products designed exclusively for the specific needs of track racing. The other components, such as seat posts, pedals and headsets have been borrowed directly from the Record™ road groupset.

CRANKSETS RECORD™ PISTA™

995 g



RECORD™ PISTA™ BOTTOM BRACKET



RECORD™ PEDALS



RECORD™ PISTA™ FRONT HUB



RECORD™ PISTA™ REAR HUB



RECORD™ THREADLESS™ HEADSET



RECORD™ HIDDENSET™ HEADSET



GHIBLI™

Tubular: 995 g

Immediately recognizable from its numerous victories the Ghibli™ disc wheel is a tried and proven race winner. Developed through extensive research by the Campy Tech Lab™, the tensile structure wheel with aluminium rim for tubular tyres has placed many champions atop the most prestigious podiums of the track, triathlon and time trial competitions.



RIM

Disk in polyaramide tensile structure:
makes the wheel extremely rigid and maximises aerodynamic penetration.



Rim in aluminium for tubular tires

HUB

Aluminium axle:
reduces the weight of the wheel.



PISTA™

Tubular: 2035 g

The Pista™ wheel has only two jobs:

- 1- to transfer the immense power generated from powerful track athletes into forward motion without flexing or wasting energy.
 - 2- slice through the wind to offer the lowest resistance possible.
- With numerous victories it appears that the Pista™ is quite capable in succeeding at both.




RIM

38mm aluminium aero rim:
maximum lateral and torsional stiffness – maintains stiffness features over time.



SPOKES

Stainless steel aero spokes:
maximum stiffness maintained over time.



From the starting gun a track racer exerts the maximum of intensity. During the race the situation can become only more intense. Nowhere to hide. No place for mistakes.

You, your equipment, the judges and the clock.

Track racing demands an incredible amount of experience and perfection in every detail. It is with this same spirit that Campagnolo® develops its products; attention to detail, search for perfection and the unending desire to improve even further. Campagnolo® Track components continue to be the first choice of the world's greatest oval circuit champions. Cranksets, hubs and wheels with unparalleled stiffness, reliability and looks, which are destined for the highest step on the podium in 2015.



TECH DATA

Over the course of the previous pages in this catalog you can find a great deal of general information regarding every Campagnolo product. However, if you need more specific information and technical data we have compiled an even greater resource in the following section.

Should you need yet more information please visit:
www.campagnolo.com

Please note that we reserve the right to change products, surface finish and specifications at any moment without prior notice.

ELECTRONIC GROUPSETS	122
GROUPSETS	128
WHEELS	138

TRIATHLON - TIME TRIAL

COMPONENT	OPTIONS	FEATURES	WEIGHT (G.)*
BAR-END 11S RECORD™ EPST™ SHIFTING LEVERS		Lever in lightened aluminium - body in technopolymer - 11 speed compatible - Diameter 18.2mm - waterproof IP67 - Overall length 52 mm.	51
BAR-END 11S CHORUS™ EPST™ SHIFTING LEVERS		Lever in lightened aluminium - body in technopolymer - 11 speed compatible - Diameter 18.2mm - waterproof IP67 - Overall length 60,4 mm.	52
BAR-END 11S RECORD™ EPST™ BRAKE LEVERS		Brake lever in carbon - body and buttons in technopolymer - compatible 11 speed - Diameter 18.2 - waterproof IP67	56
BAR-END 11S CHORUS™ EPST™ BRAKE LEVERS		Brake lever in aluminium - body and buttons in technopolymer - compatible 11 speed - Diameter 18.2 - waterproof IP67	66
TT DTI™ RECORD™ EPST™ V2 INTERFACE		Technopolymer, waterproof (IP67) - dual output for bar-end controls and brake controls	24
TT DTI™ CHORUS™ EPST™ V2 INTERFACE		Technopolymer, waterproof (IP67) - dual output for bar-end controls and brake controls	24
BAR-END 11S SHIFTING LEVERS CARBON		technopolymer body - carbon fibre levers - Back to Zero position - adjustable initial position - Multi-shifting System™ - micrometric adjustment of the front derailleur - with Campagnolo 11s drivetrain compatible	155
BAR-END 11S SHIFTING LEVERS		technopolymer body - aluminium levers - Back to Zero position - adjustable initial position - Multi-shifting System™ - micrometric adjustment of the front derailleur - with Campagnolo 11s drivetrain compatible	167
BAR-END 10S SHIFTING LEVERS		technopolymer body - aluminium levers - Back to Zero position - Adjustable initial position - Multi-shifting System™ - micrometric adjustment of the front derailleur - with Campagnolo 10s drivetrain compatible	167
BAR-END BRAKE LEVERS CARBON		technopolymer body - carbon fibre levers - aerodynamic profile - ergonomic profile for the levers - quick-release system	86
BAR-END BRAKE LEVERS		technopolymer body - levers in aluminium - aerodynamic profile - ergonomic profile for the levers - Quick-release system	106

PISTA

COMPONENT	OPTIONS	FEATURES	WEIGHT (G.)*
RECORD™ PISTA™ FRONT HUB	32, 36 holes	light alloy body - lubrication port - small flanges - O.L.D. 100 mm	204
RECORD™ PISTA™ REAR HUB	32, 36 holes	light alloy body - lubrication port - small flanges - O.L.D. 120 mm	284
RECORD™ PISTA™ CRANKSET	165, 170 mm 47, 48, 49, 50, 51, 52	requires b.b. L. 111 mm (asymmetrical)	592
RECORD™ PISTA™ BOTTOM BRACKET	ITA, ENG	axle L. 111 mm (asymmetrical) - composite and light alloy cartridge - light alloy cups - without sealings	220
RECORD™ PRO-FIT PLUS™ PEDALS		Titanium axle - light alloy body - with floating (standard) or fixed (optional) cleats - composite axle fixing nuts - polished aluminium finish - left axle compatible with the ErgoBrain™ magnet	266
RECORD™ HEADSET		BC 1"x24tpi - height 36.5 mm - light alloy with steel inserts - cup and cone system	104
RECORD™ THREADLESS™ HEADSET		1" - for unthreaded fork tube - height 24.5 mm - composite cover and light alloy fixing screw - lubrication port - cup and cone system - patented centering system	110
RECORD™ HIDDENSET™ HEADSET	1-1/8"	internal headset for unthreaded fork tube - height 5.9 mm - patent pending system - composite and light alloy fixing screw and cap - cup and cone system	73

* Average weight - it refers to the lighter specification among the available options.

WHEELS TECHNICAL SPECIFICATIONS

	NOMINAL WEIGHT (g*)	RIM MATERIAL	RIM SECTION: HEIGHT/WIDTH – mm (NOMINAL)	ULTRA-FIT™	ASYMMETRICAL HOLES	REQUIRES RIM TAPE	RIM FINISHING	NUMBER OF SPOKES		DYNAMIC BALANCE	SPOKES MATERIAL	SPOKE TYPE	DIFFERENTIAL SPOKES R/L	ULTRALINEAR™ /DRSC™ GEOMETRY	NUT/NIPPLE MATERIAL	O.L.D. (mm)	HUB BODY MATERIAL	CUPS & CONES BEARINGS	BEARINGS VERSION	HUB FINISHING	SPOKE ANTI-ROTATION SYSTEM	COMPATIBILITY
--	---------------------	--------------	--	------------	--------------------	-------------------	---------------	------------------	--	-----------------	-----------------	------------	-------------------------	------------------------------	---------------------	-------------	-------------------	-----------------------	------------------	---------------	----------------------------	---------------

ROAD

CARBON WHEELS

BORA™ ULTRA™ TT front tub.	975	carbon	D/20		B					carbon						130		•	C			9/10/11
BORA™ ULTRA™ 35 front tub.	480	carb	35/24,2		B/D		carb	18		RDB	SS	AE DB		UL	alu	100	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 35 rear tub.	690	carb	35/24,2		B/D		carb	21/G3™		RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 35 rear tub. (HG)	690	carb	35/24,2		B/D		carb	21/G3™		RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 50 front tub.	520	carb	50/24,2		B/D		carb	18		RDB	SS	AE DB		UL	alu	100	carb	•	C	carb	•	9/10/11
BORA™ ULTRA™ 50 rear tub.	695	carb	50/24,2		B/D		carb	21/G3™		RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 50 rear tub. (HG)	695	carb	50/24,2		B/D		carb	21/G3™		RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 80 front tub.	705	carb	80/20		B/D		carb	16		RDB	SS	AE DB		UL	alu	100	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 80 rear tub.	815	carb	80/20		B/D		carb	18/G3™		RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 80 rear tub. (HG)	854	carb	80/20		B/D		carb	18/G3™		RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ONE 35 front cl.	505	carb	35/24,2		B/D		carb	18		RDB	SS	AE DB		UL	alu	100	alu	•	U	black	•	9/10/11
BORA™ ONE 35 rear cl.	710	carb	35/24,2		B/D		carb	21/G3™		RDB	SS	AE DB		UL	alu	130	alu	•	U	black	•	9/10/11
BORA™ ONE 35 rear cl. (HG)	710	carb	35/24,2		B/D		carb	21/G3™		RDB	SS	AE DB		UL	alu	130	alu	•	U	black	•	9/10/11
BORA™ ONE 50 front tub.	545	carb	50/24,2		B/D		carb	18		RDB	SS	AE DB		UL	alu	100	alu	•	U	black	•	9/10/11
BORA™ ONE 50 rear tub.	720	carb	50/24,2		B/D		carb	21/G3™		RDB	SS	AE DB		UL	alu	130	alu	•	U	black	•	9/10/11
BORA™ ONE 50 rear tub. (HG)	720	carb	50/24,2		B/D		carb	21/G3™		RDB	SS	AE DB		UL	alu	130	alu	•	U	black	•	9/10/11
BORA™ ULTRA™ 35 front cl.	575	carb	35/24,2		B/D		carb	18		RDB	SS	AE DB		UL	alu	100	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 35 rear cl.	785	carb	35/24,2		B/D		carb	21/G3™		RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 35 rear cl. (HG)	785	carb	35/24,2		B/D		carb	21/G3™		RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 50 front cl.	630	carb	50/24,2		B/D		carb	18		RDB	SS	AE DB		UL	alu	100	carb	•	C	carb	•	9/10/11
BORA™ ULTRA™ 50 rear cl.	805	carb	50/24,2		B/D		carb	21/G3™		RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ULTRA™ 50 rear cl. (HG)	805	carb	50/24,2		B/D		carb	21/G3™		RDB	SS	AE DB		UL	alu	130	carb	•	C	blk/carb	•	9/10/11
BORA™ ONE 35 front cl.	600	carb	35/24,2		B/D		carb	18		RDB	SS	AE DB		UL	alu	100	alu	•	U	black	•	9/10/11
BORA™ ONE 35 rear cl.	805	carb	35/24,2		B/D		carb	21/G3™		RDB	SS	AE DB		UL	alu	130	alu	•	U	black	•	9/10/11
BORA™ ONE 35 rear cl. (HG)	805	carb	35/24,2		B/D		carb	21/G3™		RDB	SS	AE DB		UL	alu	130	alu	•	U	black	•	9/10/11
BORA™ ONE 50 front cl.	655	carb	50/24,2		B/D		carb	18		RDB	SS	AE DB		UL	alu	100	alu	•	U	black	•	9/10/11
BORA™ ONE 50 rear cl.	830	carb	50/24,2		B/D		carb	21/G3™		RDB	SS	AE DB		UL	alu	130	alu	•	U	black	•	9/10/11
BORA™ ONE 50 rear cl. (HG)	830	carb	50/24,2		B/D		carb	21/G3™		RDB	SS	AE DB		UL	alu	130	alu	•	U	black	•	9/10/11
HYPERON™ ULTRA™ Two front cl.	580	carb	19/20		B	•	carb	22		RDB	SS	AE DB		UL	alu	100	carb	•	C	carb		9/10/11
HYPERON™ ULTRA™ Two rear cl.	765	carb	21/20		B	•	carb	24		RDB	SS	AE DB	•	UL	alu	130	carb	•	C	blk/carb		9/10/11
HYPERON™ ULTRA™ Two rear cl. (HG)	804	carb	21/20		B	•	carb	24		RDB	SS	AE DB	•	UL	alu	130	carb	•	C	blk/carb		9/10/11
HYPERON™ ULTRA™ Two front tub.	536	carb	19/20		B		carb	22		RDB	SS	AE DB		UL	alu	100	carb	•	C	carb		9/10/11
HYPERON™ ULTRA™ Two rear tub.	695	carb	21/20		B		carb	24		RDB	SS	AE DB	•	UL	alu	130	carb	•	C	blk/carb		9/10/11
HYPERON™ ULTRA™ Two rear tub. (HG)	734	carb	21/20		B		carb	24		RDB	SS	AE DB	•	UL	alu	130	carb	•	C	blk/carb		9/10/11

KEY
DB=Butted - AE=Aero - UAE=Ultra Aero - SS=Stainless steel - BR=Brass - S=steel - U=USB™ - C=CULT™ - SDB=Spoke Dynamic Balance - RDB=Rim Dynamic Balance
B=Bright - D=Dark
* Average weight - does not include the quick-release and the rim-tape.

WHEELS TECHNICAL SPECIFICATIONS

	NOMINAL WEIGHT (g)*	RIM MATERIAL	RIM SECTION: HEIGHT/WIDTH – mm (NOMINAL)	ULTRA-FIT™	LABELS	REQUIRES RIM TAPE	RIM FINISHING	NUMBER OF SPOKES		DYNAMIC BALANCE	SPOKES MATERIAL	SPOKE TYPE	DIFFERENTIAL SPOKES R/L	ULTRALINEAR™ /DRSC™ GEOMETRY	NUT/NIPPLE MATERIAL	O.L.D. (mm)	HUB BODY MATERIAL	CUPS & CONES BEARINGS	BEARINGS VERSION	HUB FINISHING	SPOKE ANTI-ROTATION SYSTEM	COMPATIBILITY
--	---------------------	--------------	--	------------	--------	-------------------	---------------	------------------	--	-----------------	-----------------	------------	-------------------------	------------------------------	---------------------	-------------	-------------------	-----------------------	------------------	---------------	----------------------------	---------------

ROAD

ALUMINIUM - CARBON WHEELS

BULLET™ ULTRA™ front cl.	727	alu/carb	50/20,5		B/D		carb	18		RDB	SS	AE DB		DRSC™	alu	100	alu	•	U/C	black	•	
BULLET™ ULTRA™ rear cl.	863	alu/carb	50/20,5		B/D		carb	21/G3™		RDB	SS	AE DB		DRSC™	alu	130	alu	•	U/C	black	•	9/10/11
BULLET™ ULTRA™ rear cl. (HG)	902	alu/carb	50/20,5		B/D		carb	21/G3™		RDB	SS	AE DB		DRSC™	alu	130	alu	•	U/C	black	•	9/10/11
BULLET™ ULTRA™ 80mm front cl.	815	alu/carb	80/20,5		B/D		carb	16		RDB	SS	AE DB		DRSC™	alu	100	alu	•	U/C	black	•	
BULLET™ ULTRA™ 80mm rear cl.	955	alu/carb	80/20,5		B/D		carb	18/G3™		RDB	SS	AE DB		DRSC™	alu	130	alu	•	U/C	black	•	9/10/11
BULLET™ ULTRA™ 80mm rear cl. (HG)	994	alu/carb	80/20,5		B/D		carb	18/G3™		RDB	SS	AE DB		DRSC™	alu	130	alu	•	U/C	black	•	9/10/11
BULLET™ front cl.	785	alu/carb	50/20,5		B		carb	18		RDB	SS	AE DB		DRSC™	BR	100	alu		S	black	•	
BULLET™ rear cl.	970	alu/carb	50/20,5		B		carb	21/G3™		RDB	SS	AE DB		DRSC™	BR	130	alu		S	black	•	9/10/11
BULLET™ rear cl. (HG)	1009	alu/carb	50/20,5		B		carb	21/G3™		RDB	SS	AE DB		DRSC™	BR	130	alu		S	black	•	9/10/11
BULLET™ 80mm front cl.	865	alu/carb	80/20,5		B		carb	16		RDB	SS	AE DB		DRSC™	BR	100	alu		S	black	•	
BULLET™ 80mm rear cl.	1065	alu/carb	80/20,5		B		carb	18/G3™		RDB	SS	AE DB		DRSC™	BR	130	alu		S	black	•	9/10/11
BULLET™ 80mm rear cl. (HG)	1104	alu/carb	80/20,5		B		carb	18/G3™		RDB	SS	AE DB		DRSC™	BR	130	alu		S	black	•	9/10/11

KEY

DB=Butted - AE=Aero - UAE=Ultra Aero - SS=Stainless steel - BR=Brass - S=steel - U=USB™ - C=CULT™ - SDB=Spoke Dynamic Balance - RDB=Rim Dynamic Balance
B=Bright - D=Dark

* Average weight - does not include the quick-release and the rim-tape.

WHEELS TECHNICAL SPECIFICATIONS

	NOMINAL WEIGHT (g)*	RIM MATERIAL	RIM SECTION: HEIGHT/WIDTH – mm (NOMINAL)	ULTRA-FIT™	LABELS	REQUIRES RIM TAPE	RIM FINISHING	NUMBER OF SPOKES		DYNAMIC BALANCE	SPOKES MATERIAL	SPOKE TYPE	DIFFERENTIAL SPOKES R/L	ULTRALINEAR™ /DRSC™ GEOMETRY	NUT/NIPPLE MATERIAL	O.L.D. (mm)	HUB BODY MATERIAL	CUPS & CONES BEARINGS	BEARINGS VERSION	HUB FINISHING	SPOKE ANTI-ROTATION SYSTEM	COMPATIBILITY
--	---------------------	--------------	--	------------	--------	-------------------	---------------	------------------	--	-----------------	-----------------	------------	-------------------------	------------------------------	---------------------	-------------	-------------------	-----------------------	------------------	---------------	----------------------------	---------------

ROAD

ALUMINIUM WHEELS

SHAMAL™ MILLE™ front cl. SHAMAL™ MILLE™ rear cl. SHAMAL™ MILLE™ rear cl. (HG)	615 811 811	alu alu alu	23/20,5 27/20,5 27/20,5		B/D B/D B/D		black black black	16 21/MG3™ 21/MG3™		RDB RDB RDB	alu alu alu	AE DB AE DB AE DB		UL UL UL	alu alu alu	100 130 130	alu/carb alu/carb alu/carb	• • •	U U U	blk/carb blk/carb blk/carb	• • •	9/10/11 9/10/11 9/10/11
SHAMAL™ ULTRA™ front cl. SHAMAL™ ULTRA™ rear cl. SHAMAL™ ULTRA™ rear cl. (HG)	605 820 859	alu alu alu	24/20,5 30/20,5 30/20,5		B/D B/D B/D		black black black	16 21/MG3™ 21/MG3™		RDB RDB RDB	alu alu alu	AE DB AE DB AE DB		UL UL UL	alu alu alu	100 130 130	alu/carb alu/carb alu/carb	• • •	U U U	blk/carb blk/carb blk/carb	• • •	9/10/11 9/10/11 9/10/11
SHAMAL™ ULTRA™ front tub. SHAMAL™ ULTRA™ rear tub. SHAMAL™ ULTRA™ rear tub. (HG)	612 813 852	alu alu alu	24,5/20 28,5/20 28,5/20		B B B		black black black	16 21/MG3™ 21/MG3™		RDB RDB RDB	alu alu alu	AE DB AE DB AE DB		UL UL UL	alu alu alu	100 130 130	alu/carb alu/carb alu/carb	• • •	U U U	blk/carb blk/carb blk/carb	• • •	9/10/11 9/10/11 9/10/11
SHAMAL™ ULTRA™ 2-Way Fit™ front SHAMAL™ ULTRA™ 2-Way Fit™ rear SHAMAL™ ULTRA™ 2-Way Fit™ rear (HG)	615 825 864	alu alu alu	24/20,5 28/20,5 28/20,5	• • •	B B B		black black black	16 21/MG3™ 21/MG3™		RDB RDB RDB	alu alu alu	AE DB AE DB AE DB		UL UL UL	alu alu alu	100 130 130	alu/carb alu/carb alu/carb	• • •	U U U	blk/carb blk/carb blk/carb	• • •	9/10/11 9/10/11 9/10/11
EURUST™ front cl. EURUST™ rear cl. EURUST™ rear cl. (HG)	640 825 864	alu alu alu	24/20,5 30/20,5 30/20,5		B B B		black black black	16 21/G3™ 21/G3™		RDB RDB RDB	alu alu alu	AE DB AE DB AE DB		UL UL UL	alu alu alu	100 130 130	alu alu alu	• • •	S S S	slv/blk slv/blk slv/blk	• • •	9/10/11 9/10/11 9/10/11
EURUST™ 2-Way Fit™ front EURUST™ 2-Way Fit™ rear EURUST™ 2-Way Fit™ rear (HG)	645 840 879	alu alu alu	24/20,5 28/20,5 28/20,5	• • •	B B B		black black black	16 21/MG3™ 21/MG3™		RDB RDB RDB	alu alu alu	AE DB AE DB AE DB		UL UL UL	alu alu alu	100 130 130	alu alu alu	• • •	S S S	black black black	• • •	9/10/11 9/10/11 9/10/11
ZONDA™ front cl. ZONDA™ rear cl. ZONDA™ rear cl. (HG)	670 880 924	alu alu alu	24/20,5 30/20,5 30/20,5		B B B		black black black	16 21/G3™ 21/G3™		RDB RDB RDB	SS SS SS	AE DB AE DB AE DB		UL UL UL	BR BR BR	100 130 130	alu alu alu	• • •	S S S	black black black	• • •	9/10/11 9/10/11 9/10/11
ZONDA™ 2-Way Fit™ front ZONDA™ 2-Way Fit™ rear ZONDA™ 2-Way Fit™ rear (HG)	680 890 939	alu alu alu	24/20,5 30/20,5 30/20,5	• • •	B B B		black black black	16 21/G3™ 21/G3™		RDB RDB RDB	SS SS SS	AE DB AE DB AE DB		UL UL UL	BR BR BR	100 130 130	alu alu alu	• • •	S S S	black black black	• • •	9/10/11 9/10/11 9/10/11
SCIROCCO™ 35mm front cl. SCIROCCO™ 35mm rear cl. SCIROCCO™ 35mm rear cl. (HG)	788 937 1004	alu alu alu	35/20 35/20 35/20		B B B		black black black	16 21/MG3™ 21/MG3™		RDB RDB RDB	SS SS SS	AE DB AE DB AE DB			alu alu alu	100 130 130	alu alu alu		S S S	black black black	• • •	9/10/11 9/10/11 9/10/11
VENTO™ ASYMMETRIC front cl. VENTO™ ASYMMETRIC G3™ rear cl. VENTO™ ASYMMETRIC G3™ rear cl. (HG)	750 910 949	alu alu alu	24/20,5 27,5/20,5 27,5/20,5		B B B	• • •	black black black	18 24/G3™ 24/G3™			SS SS SS	AE DB AE DB AE DB			alu alu alu	100 130 130	alu alu alu		S S S	black black black		9/10/11 9/10/11 9/10/11
KHAMSIN™ ASYMMETRIC front cl. KHAMSIN™ ASYMMETRIC rear cl. KHAMSIN™ ASYMMETRIC rear cl. (HG)	815 935 974	alu alu alu	24/20,5 27,5/20,5 27,5/20,5		B B B	• • •	black black black	18 20 20			S S/SS S/SS				BR BR BR	100 130 130	alu alu alu		S S S	black black black		9/10/11 9/10/11 9/10/11
KHAMSIN™ ASYMMETRIC front cl. KHAMSIN™ ASYMMETRIC G3™ rear cl. KHAMSIN™ ASYMMETRIC G3™ rear cl. (HG)	815 975 1014	alu alu alu	24/20,5 27,5/20,5 27,5/20,5		B B B	• • •	black black black	18 24/G3™ 24/G3™			S S/SS S/SS				BR BR BR	100 130 130	alu alu alu		S S S	black black black		9/10/11 9/10/11 9/10/11
NEUTRON™ ULTRA™ front cl. NEUTRON™ ULTRA™ rear cl. NEUTRON™ ULTRA™ rear cl. (HG)	630 840 879	alu alu alu	18/20,5 18/20,5 18/20,5		B B B	• • •	black black black	22 24 24			SS SS SS	AE DB AE DB AE DB	• •	UL UL UL	alu alu alu	100 130 130	alu/carb alu/carb alu/carb	• • •	S S S	blk/carb blk/carb blk/carb		9/10/11 9/10/11 9/10/11

KEY
DB=Butted - AE=Aero - UAE=Ultra Aero - SS=Stainless steel - BR=Brass - S=steel - U=USB™ - C=CULT™ - SDB=Spoke Dynamic Balance - RDB=Rim Dynamic Balance
B=Bright - D=Dark
* Average weight - does not include the quick-release and the rim-tape.

WHEELS TECHNICAL SPECIFICATIONS

	NOMINAL WEIGHT (g)*	RIM MATERIAL	RIM SECTION: HEIGHT/WIDTH – mm (NOMINAL)	ULTRA-FIT™	LABELS	REQUIRES RIM TAPE	RIM FINISHING	NUMBER OF SPOKES		DYNAMIC BALANCE	SPOKES MATERIAL	SPOKE TYPE	DIFFERENTIAL SPOKES R/L	ULTRALINEAR™ /DRSC™ GEOMETRY	NUT/NIPPLE MATERIAL	O.L.D. (mm)	HUB BODY MATERIAL	CUPS & CONES BEARINGS	BEARINGS VERSION	HUB FINISHING	SPOKE ANTI-ROTATION SYSTEM	COMPATIBILITY
--	---------------------	--------------	--	------------	--------	-------------------	---------------	------------------	--	-----------------	-----------------	------------	-------------------------	------------------------------	---------------------	-------------	-------------------	-----------------------	------------------	---------------	----------------------------	---------------

TRIATHLON - TIME TRIAL

BORA™ ULTRA™ TT rear road	975	carbon	D/20		B						carbon					130		•	C			9/10/11
---------------------------	-----	--------	------	--	---	--	--	--	--	--	--------	--	--	--	--	-----	--	---	---	--	--	---------

CYCLOCROSS

KHAMSIN™ ASYMMETRIC CX front cl.	815	alu	24/20,5		B	•	black	18			S				BR	100	alu		S	black		9/10/11
KHAMSIN™ ASYMMETRIC CX rear cl.	935	alu	27,5/20,5		B	•	black	20			S/SS				BR	130	alu		S	black		9/10/11
KHAMSIN™ ASYMMETRIC CX rear cl. (HG)	974	alu	27,5/20,5		B	•	black	20			S/SS				BR	130	alu		S	black		9/10/11
SCIROCCO™ 35mm CX front cl.	778	alu	24/20,5		B	•	black	20		SDB	SS	AE DB			alu	100	alu		S	black	•	9/10/11
SCIROCCO™ 35mm CX rear cl.	937	alu	24/20,5		B	•	black	27/G3™		SDB	SS	AE DB			alu	130	alu		S	black	•	9/10/11
SCIROCCO™ 35mm CX rear cl. (HG)	1004	alu	24/20,5		B	•	black	27/G3™		SDB	SS	AE DB			alu	130	alu		S	black	•	9/10/11

PISTA

GHIBLI™ front track	955	alu	D/19								aramid					100	alu	•	S			
GHIBLI™ rear track	995	alu	D/19								aramid					120	alu	•	S			
PISTA™ front tub.	995	alu	38/20		B		black	20			SS	AE			alu	100	alu	•	S	black		
PISTA™ rear tub.	1040	alu	38/20		B		black	24			SS				alu	120	alu	•	S	black		

KEY
DB=Butted - AE=Aero - UAE=Ultra Aero - SS=Stainless steel - BR=Brass - S=steel - U=USB™ - C=CULT™ - SDB=Spoke Dynamic Balance - RDB=Rim Dynamic Balance
B=Bright - D=Dark
* Average weight - does not include the quick-release and the rim-tape.

CAMPAGNOLO® SERVICE CENTER

The Service Center is the reference point for all Campagnolo® dealers and its aim is to provide an adequate after-sales service to Campagnolo® users. Service Centers are a territorial extension of Campagnolo srl and work exclusively with dealers, no exceptions made. The Service Centers handle two activities: After-sales Service and Spare Parts Service.

The After-sales Service provides technical assistance for products under guarantee or otherwise, enabling cyclists to enjoy the first-class characteristics of Campagnolo® products for long, without forfeiting safety, performance and endurance. The Spare Parts Service handles the distribution of spare parts. Campagnolo® possesses a large inventory of spare parts and is able to replenish its distribution system adequately in relatively short times.

We therefore advise you to refer to your Campagnolo® dealer for any expert action required by your bikes - these dealers are the only ones supported by the constant, skilled collaboration of Campagnolo® Service Centers.

SERVICE CENTERS

ITALY - CENTRAL SERVICE CENTER
CAMPAGNOLO SRL HEADQUARTERS
Via della Chimica, 4 - 36100 VICENZA
Tel. +39-0444-225600
Fax: +39-0444-225606
E-mail: service.campagnolo@campagnolo.com

AUSTRALIA
DE GRANDI CYCLE AND SPORTS
419 Moorabool Street 3220
GEELONG (VICTORIA)
Tel. +61 3 5221 5099
E-mail: shane@degrandi.com.au

BIKE SPORTZ IMPORTS
23C & 23D Industrial Drive
BRAESIDE 3195 (VICTORIA)
Tel. +61 3 95872344
E-mail: jnunan@bikesportz.com.au

AUSTRIA - GERMANY
CAMPAGNOLO DEUTSCHLAND GMBH
Alte Garten 62
51371 LEVERKUSEN
Tel. +49-214-206953-20
Fax: +49-214-206953-15

BENELUX
INTERNATIONAL CYCLE CONNECTION
B.V. - I.C.C.
Communicatielaan 5A
4538 BV TERNEUZEN NETHERLAND
Tel. +31 (0)115 649321
Fax: +31 (0)115 649110
E-mail: info@i-c-c.nl
Web: www.i-c-c.nl

BRAZIL
DIPSA-Distribuidora de Pecas e Acessorios Ltda.
Rua Barao do Rego Barros 510
CEP. 04512-041
São Paulo – SP – Brazil
Tel. (11) 5093-4364
E-mail: dipsa@dipsa.com.br

CANADA
CYCLES MARINONI INC
1067, Levis - LACHENAIE
QUEBEC J6W 4L2
Tel. +1-450-4717133
Fax: +1-450-4719887

CANADA
GREAT WESTERN BICYCLE
232 West 7th Ave
VANCOUVER, BC
V5Y 1M1
Tel. 1 604 872 2446
Fax: 1 604 872 0226

CHINA – HONG KONG
IRON ORE CO LTD
3/F, WING WAH INDUSTR.BUILDING
137-143 YEUNG UK ROAD
TSUEN WAN, NEW TERRITORIES
HONG KONG
Tel. +852 3576/3839
E-mail: ccheng@ironorechina.com

CHEUNG KEE CYCLE CO
Number 1b, Fuk Yip Building No. 12
Kik Yeung Road Yuen Long
N.T. HONG KONG
Tel. +85 224746794
E-mail: sales@ckcycle.com

CHILE
RAFAEL BURGOS S.A.
Arturo Prat, 1032
SANTIAGO
Tel. +56 2/5200600
Fax +56 2/6342390

CYPRUS
RACING CYCLES LTD
Prodromou 51
2063, Strovolos
Nicosia, Cyprus
tel: +357 22270766
fax: +357 22270437
email: cyprus@racingcycles.eu

CZECH REPUBLIC
SIRER s.r.o.
Vit. Halka 368
26601 BEROUN
Tel. 00420775590956
Fax: 00420608241691
E-mail: campagnolo@sirer.cz
Web: www.campagnolo-sirer.cz

DENMARK
PEAK BIKE APS
Svejssegangen 3-1 TH
2690 Karlslunde
DENMARK
Tel. +45-4492 2800
E-mail: info@peakbike@dk

FINLAND
VELOSPORT KY
Mäkelänkatu 95
00610 HELSINKI, FINLAND
FI Finlandia
Tel. +358 9795468
Fax +358 9795498

FRANCE
CAMPAGNOLO FRANCE SAS
ZA du Tissot
42530 ST GENEST - LERPT
Tel. +33-477-556305
Fax: +33-477-556345

GREECE
CYCLES FIDUSA - GIORGIO VOYATZIS & CO.
Th. Sofuli 97
85100 RHODOS
Tel. +30-2241 021264
Fax: +30-2241 021519

ACTIVE ZONE NETWORK S.A.
Varis-Koropiou & Makedonias, 2
16672 VARI. ATHENS
Tel. +30-210/9612929
E-mail: info@cyclist.gr

RACING CYCLES GREECE LTD
Olympic Tennis Center
Amarysias Artemidos & Pittara
15123, Marousi
Attiki
Tel. +30 210 3312610
Email: sales@racingcycles.eu

ISRAEL
AMIT LEVINSON LTD
25 Sheshet Hayamim Str. - QIRYAT HAIM
POB 252 ZIP 26101
Tel. +972-4-8405649
Fax: +972-4-8423913

JAPAN
CAMPAGNOLO JAPAN LTD
65 Yoshida-cho, Naka-ku,
YOKOHAMA 231-0041 JAPAN
Tel. +81-45-264-2780
Fax: +81-45-241-8030

NEW ZEALAND
WH WORRALL CO. LTD.
43 Felix St./Penrose - P.O. Box 12481
AUCKLAND
Tel. +64-9-6360641
Fax: +64-9-6360631

TECHNICAL INFORMATION

ITALY (CENTRAL)
Tel. +39-0444-225600
Fax: +39-0444-225400

FRANCE
Tel. +33-477-554449
Fax: +33-477-556345

GERMANY
Tel. +49-214-206953-20
Fax: +49-214-206953-15

SPAIN
Tel. +34-945-217195
Fax: +34-945-217198

U.S.A.
Tel. +1-760-9310106
Fax: +1-760-9310991

JAPAN
Tel. +81-45-264-2780
Fax: +81-45-241-8030

POLAND
P.H.U. WERTYKAL S.C.
UL. RODZINY POGANOW 76
32-080 ZABIERZOW
Tel. +48/12/346 16 69
+ 48/604/07 70 94
E-mail: serwis@wertykal.com
Web: www.wertykal.com

SINGAPORE – MALAYSIA - INDONESIA
TRIMEN VENTURES PTE LTD
31 BUKIT BATOK CRESCENT #01-13
WCEGA PLAZA 658070
SINGAPORE
Tel. +65-67476448
Fax: +65-67476447

KIAN HONG CYCLE PTE LTD
13 KAKI BUKIT ROAD 1
#02-08 EUNOS TECHNOLINK
SINGAPORE 415928
Tel. +65 67495787
E-mail: smiek@khcycle.com.sg

SPAIN
CAMPAGNOLO IBERICA S.L.
Avda. de Los Huetos 46 Pab. 31
01010 VITORIA
Tel. +34-945-217195
Fax: +34-945-217198

SLOVAC REPUBLIC
ZANZO S.R.O.
Kysucky Lieskovec 421
02334 BRATISLAVA
Tel. 00421 245 523721
Fax: 00421 245 249404

SLOVENIA
MAXISPORT D.O.O.
Smartinska cesta 211
1000 LJUBLJANA
Tel. +386 1 541 10 60
Fax: +386 1 541 67 61
E-mail: service@maxisport.si
Web: www.maxisport.si

SOUTH AFRICA
CYCLING J&J (PTY) LTD.
169 Meerlust Street –
Willow Glen PRETORIA
Tel. +27-012-8075570
Fax: +27-012-8074267

SOUTH KOREA
DAEJIN INTERNATIONAL
977-6, DAEJAM-DONG
NAM-GU POHANG
KYOUNGSANGBUK-DO
Tel. +82 54/275.2216
E-mail: info.bianchi@yahoo.co.kr

DONGJIN IMPORTS CO LTD
560-5 Banghak-Dong Dobong-Gu SEOUL
Tel. +82 2/4997053
E-mail: kenney.dongjin@gmail.com

SWITZERLAND
SWISSBIKE PIERO ZURINO GMBH
Pilatusstr. 4 - 6036 DIERIKON
Tel. +41-41-7485550
Fax: +41-41-7485551

U.G.D. SPORT DIFFUSION S.A.
La Taille - 2053 CERNIER
Tel. +41-32-8536363
Fax: +41-32-8536464
info@ugd.ch

TAIWAN, MAINLAND CHINA
COLMAX INTERNATIONAL LTD
TAIWAN BRANCH (H.K.)
No.70, TAIYI RD., RENDE DIST.
TAINAN CITY
TAIWAN
Tel. +886-6-265 6001
Fax: +886-6-265 1388
E-mail: charis@colmax.com.tw
Web: www.colmax.com.tw

THAILAND
UWC Ltd. (TCA) - Service center Bangkok
777/5, Mue 5, TIP 6, T.Bangpla
A.Bangplee, Samutprakarn 10540
Thailand
Tel : +66 217 07904
Fax : +66 217 07905
www.tcabicycle.com

UWC/TCA Service Center - Chiang Mai
44/1 Devarit Rd., T.Changpurk
A.Muang, Chiang Mai 50300
Tel : +66 53 406 292
Fax : +66 53 406 295

UWC/TCA Service Center - Hat Yai
1899/23 Panpruksa, Sanambin-Lopburiramet
Rd., T. Kuanlang
A. Hat Yai, Songkla 90110
Tel : +66 74 536 456
Fax : +66 74 800 463

UNITED KINGDOM
CHICKEN CYCLEKIT
Unit b2, Cherrycourt Way
LU7 4UH BEDFORDSHIRE
Tel. +44 1525 381347
Fax: +44 1525 385361
E-mail: sales@chickencyclekit.co.uk

UNITED KINGDOM
CYCLESPOORT NORTH LTD
Unit 363 LEACH PLACE
WALTON SUMMIT CENTRE
BAMBER BRIDGE - PRESTON
LANCASHIRE
Tel. +44 (0) 1772 339220
Fax: +44 (0) 1772 339290
E-mail: sales@cyclesportnorth.co.uk
Web: www.csnb2b.co.uk

VELOTECH CYCLING LTD
37 Dingleberry Olney Bucks
MK46 5ES BUCKINGHAMSHIRE
Tel. +44 7533 129435
velotechcycling@aim.com

I-RIDE
7-8B Mid Sussex Business Park
Ditchling Common Ind. Est.
Folder Lane East
Ditchling, Sussex
BN6 8SE
Tel. +44 (0) 1444 243000
Fax: +44 (0) 1444 239215
E-mail: service@i-ride.co.uk
info@i-ride.co.uk

UNITED STATES
CAMPAGNOLO NORTH AMERICA INC.
5431 Avenida Encinas, Suite C
CARLSBAD CA 92008
Tel. +1-760-9310106
Fax: +1-760-9310991

OCHSNER INTERNATIONAL INC
246 E. Marquardt Drive - WHEELING
IL. 60090-6430
Tel. +1-847-4658200
Fax: +1-847-4658282

QUALITY BICYCLE PRODUCTS
6400 W. 105th Street
BLOOMINGTON, MN 55438-2554
Tel. +1-952-9419391
Fax: +1-952-9419799

THE HAWLEY COMPANY, INC.
1181 South Lake Drive
LEXINGTON, SC 29073-7744
Tel. +1-803.359.3492 x 192
Fax: +1-803.359.1343



HEADQUARTERS BRANCH OFFICES

CAMPAGNOLO S.R.L.
Via della Chimica, 4
36100 Vicenza - ITALY
Tel. +39-0444-225500
Fax: +39-0444-225400
E-mail: sales@campagnolo.com

FRANCE
CAMPAGNOLO FRANCE SASU
ZA du Tissot
42530 St GENEST - LERPT
Tel. +33-477-556305
Fax: +33-477-556345
E-mail: campagnolo@campagnolo.fr

GERMANY
CAMPAGNOLO
DEUTSCHLAND GMBH
Alte Garten 62
51371 LEVERKUSEN
Tel. +49-214-206953-0
Fax: +49-214-206953-15
E-mail: campagnolo@campagnolo.de

JAPAN
CAMPAGNOLO JAPAN LTD
65 Yoshida-cho, Naka-ku,
YOKOHAMA
231-0041
Tel. +81-45-264-2780
Fax: +81-45-241-8030
E-mail: info@campagnolo.jp

SPAIN
CAMPAGNOLO IBERICA S.L.
Avda. de Los Huetos 46. pab. 31
01010 VITORIA
Tel. +34-945-217195
Fax: +34-945-217198
E-mail: campagnolo@campagnolo.es

TAIWAN
PRIMATEK LTD
No. 1, Gongyequ 37th Rd.,
Xitun Dist.,
Taichung City 407, Taiwan R.O.C.
Tel. +886-4-23506831
Fax: +886-4-23596764

UNITED STATES
CAMPAGNOLO NORTH
AMERICA INC.
5431 Avenida Encinas, Suite C -
CARLSBAD CA 92008 - U.S.A.
Tel. +1-760-9310106
Fax: +1-760-9310991
E-mail: info@campagnolona.com

AGENT NETWORK

BENELUX
INTERNATIONAL
CYCLE CONNECTION I.C.C.
Communicatielaan 5A
4538 BV TERNEUZEN
NETHERLAND
Tel. + 31 (0)115 649321
Fax: + 31 (0)115 649110
E-mail: info@i-c-c.nl
Web: www.i-c-c.nl

UNITED KINGDOM
SELECT CYCLE
COMPONENTS
The White House
Main Street
NEWTON NI13 8HN -
ENGLAND
Tel. +44-0780260628
E-mail: rosafio@selectcyclecomponents.com

SALES NETWORK

ARGENTINA
ANGEL DIAZ
Av.Mosconi 2255
BUENOS AIRES
E-mail: info@rodadosdiaz.com.ar
Tel. +54 1145716481

AUSTRALIA
DE GRANDI CYCLE AND SPORTS
419 Moorabool Street 3220
GEELONG (VICTORIA)
Tel. +61 3 5221 5099
E-mail: shane@degrandi.com.au

BIKE SPORTZ IMPORTS
23C & 23D Industrial Drive
BRAESIDE 3195 (VICTORIA)
Tel. +61 3 95872344
E-mail: jnunan@bikesportz.com.au

AUSTRIA
NSPORTS
HANDELSAGENTUR
ALEXANDER NIEDERSTETTER
GoethestraÙe 8
6845 Hohenems VORARLBERG
Tel. +43 5576 74015
Fax: +43 5576 74153
E-mail: alexander@nsports.at
Web: www.nsports.at

BELGIUM
BIKES & PARTS ROLAND VERVAET
Klipsenstraat 24 9160 - LOKEREN
Tel. 0032 (0) 93493836
Fax: 0032 (0) 93485148
Web: www.bikes-parts.be

MINERVA N.V.
Schoebroekstraat 38
B-3583 PAAL-BERINGEN
Tel. +32 11/45.76.70
Fax +32 11/45.76.71
Web: www.minerva-nv.be

VDB PARTS N.V.
Industriepark Noord 24 A 9100 - SINT-
NIKLAAS
Tel. 0032 (0) 37807130
Fax: 0032 (0) 37807144
Web: www.vdbparts.be

BRAZIL
DIPSA
Distribuidora de Pecas e Acessorios
Ltda.
Rua Barao do Rego Barros 510
CEP. 04612-041
São Paulo - SP
Brazil
Tel. (55) (11) 5096-4364
Web: dipsa@dipsa.com.br
E-mail: dipsa@dipsa.com.br

CANADA
CYCLES LAMBERT
1000 rue des Riveurs, Lévis,
QUEBEC G6V 9G3
Tel. 418.835.5659
Fax: 418.835.5322

CANADA
GREAT WESTERN BICYCLE
232 West 7th Ave
VANCOUVER, BC
V5Y 1M1
Tel. 1 604 872 2446
Fax: 1 604 872 0226

MARINONI
1067 Levis
TERREBONNE, QC, Canada
J6W 4L2
Tel. 450.471.7133

CHILE
KEDRUK Y VIROVKO LTDA - KYV
CYCLING
Lo Beltran 1979 Vitacura - 7640541
SANTIAGO CILE
E-mail: info@kyvcycling.cl
Tel. +56 2/9866449

RAFAEL BURGOS S.A.
Arturo Prat, 1032
SANTIAGO
Tel. +56 2/5200600
Fax +56 2/6342390

CHINA – HONG KONG
BEIJING St.Rider Trading CO.,LTD.
A-6 rows of 6,Gao Bei Dian
NEW VILLAGE ,CHAO YANG District
Beijing,China
Tel:+86- 10 89035750
Fax:+86-10 89036165
E-mail: zhangjiuzheng@striderchina.com

CHEUNG KEE CYCLE CO
Number 1b, Fuk Yip Building No. 12
Kik Yeung Road - Yuen Long N.T.
HONG KONG
Tel. +85 224746794
E-mail: sales@ckcycle.com

IRON ORE CO LTD
3/F, WING WAH INDUSTR.BUILDING
137-143 YEUNG UK ROAD
TSUEN WAN, NEW TERRITORIES
HONG KONG
Tel. +852 3576/3839
E-mail: ccheng@ironorechina.com

THE WING'S COMPANY
1b,Maple Court
222 Fa Yuen St. Mongkok Kowloon
HONG KONG
Tel. +852 23812635
E-mail: the_wings_co@hotmail.com

COLOMBIA
STRONG MAN
CALLE 68 NR. 29-42
BARRO 7 DE AGOSTO
BOGOTA
COLOMBIA

CYPRUS
RACING CYCLES LTD
Prodromou 51
2063, Strovolos
Nicosia, Cyprus
tel: +357 22270766
fax: +357 22270437
email: sales@racingcycles.eu

CZECH REPUBLIC
SIRER s.r.o.
Vit. Halka 368
26601 BEROUN
Tel. 00420775590956
Fax: 00420608241691
E-mail: campagnolo@sirer.cz
Web: www.campagnolo-sirer.cz

DENMARK
PEAKBIKE APS
Svejsegangen 3-1 Th 2690
KARLSLUNDE DENMARK
Tel. +45 4492 2800
E-mail: info@peakbike@dk

ESTONIA
DENARO TEAM
Männiku tee 96G
11316 TALLIN ESTONIA
Tel. +3725051209
E-mail: mihkel@e-bike.ee

FRANCE
CAMPAGNOLO FRANCE
ZA du tissot
42530 SAINT GENEST LERPT
Tel. +33 477 556305
Fax : +33 477 556345

GERMANY
ASTRO Rad + Teile + Zubehör
Angerstraße 4
96231 BAD STAFFELSTEIN
Tel. +49 9573 96030
E-mail : info@astro-rad.de
Web: http://www.astro-rad.de

CCM-Sport GmbH
Von-Wrangell-Str. 5
53359 RHEINBACH
Tel. +49 2226 9065-0
E-mail: ccm-sport@t-online.de Web:
www.ccm-sport.de

DIEGELMANN & JACOBI GmbH
In den Nassen 4
65719 HOFHEIM AM TAUNUS
Tel. +49 6192 206146
Web: www.diegelmannshop.de

HERMANN HARTJE KG
Deichstraße 120 – 122
273 18 HOYA
Tel. +49 4251 811-20
E-mail: info@hartje.de
Web: www.hartje.de

RA-CO GmbH
Fichtenweg 37
99198 KERSPLEBEN
Tel. +49 36203 6140
E-mail: service@ra-co.de
Web: www.ra-co.de

GERMANY
Raiko GmbH
Radsporthandel
Feldstr. 7
53340 MECKENHEIM
Tel. +49 2225/706710
E-mail: info@raiko.de
Web: www.raiko.de

ENGELBERT WIENER BIKE Parts
GmbH
Max-Planck-Str. 8
97526 SENNFELD
BAYERN
Tel. +49 9721 65010
E-mail: info@bike-parts.de
Web: www.bike-parts.de

GREECE
ACTIVE ZONE NETWORK S.A.
Varis-Koropiou & Makedonias, 2 16672
Vari.
ATHENS GREECE
Tel. +30 210/9612929
E-mail: info@cyclist.gr

CYCLES FIDUSA
Th. Sofuli 97 85100
RHODOS GREECE
Tel. +30 2241021264
E-mail: fidusagv@otenet.gr

RACING CYCLES LTD
002 OAKA - TENNIS OLYMPIC
CENTER
38 ATHALASSIS AVENUE, OFF.101
STROVOLOS - NICOSIA
CYPRUS

ISRAEL
AMIT LEVINSON LTD
25 Sheshet Hayamim Str. Qiryat Haim
Pob 252
ZIP 26101 ISRAEL
Tel. +972 3 5612520
E-mail: info@amitbike.co.il

ITALY
For information on the distribution
network
in Italy please contact
Campagnolo S.r.l. headquarters

JAPAN
NICHINAO SHOKAI
221 Shinzen-cho, Sakai-ku, Soka
SAITAMA, 340-0054
Tel. +81-48-953-9771
Fax. +81-48-953-9774
E-mail: info@nichinao.co.jp

KAWASHIMA CYCLE SUPPLY
3-3-16 Kitasho-cho, Sakai-ku, Sakai
OSAKA 590-0007 JAPAN
Tel. +81-72-238-6126
Fax: +81-72-221-4379
E-mail: info@riogrande.co.jp

JAPAN
DINOSAUR
2-8-15 Kitanoshonishi-machi, Nara-shi
NARA, 630-8452 JAPAN
Tel. +81-742-64-3555
Tel. +81-742-64-3556
E-mail: info@dinosaur-gr.com

YOKOHAMA SANNOV SPORTS
242-1 Higashikibougaoaka, Asahi-ku
YOKOHAMA, 241-0826 JAPAN
Tel. +81-45-364-3792
Fax: +81-45-362-7916
E-mail: info@sannowsports.jp

NETHERLAND
JUNCKER BIKE PARTS
Fokkerstraat 25
3905 KV - VEENENDAAL
Tel. 0031 (0) 318553030
Fax: 0031 (0) 318552111
Web: www.jucnker.nl

HANDELSONDERNEMING TEHAVA
B.V.
Tomeikerweg 31
6161 RB - GELEEN
Tel. +82 54/275.2216
E-mail: info.bianchi@yahoo.co.kr

NEW ZEALAND
DE GRANDI CYCLE & SPORTS NZ
LTD.
19 Nuttall Drive 8022
HILLSBOROUGH-CRISTCHURCH
NEW ZEALAND
Tel. +64 33891205
E-mail: jonny@degrandi.co.nz

W.H.WORRALL & CO. LTD.
43 Felix Street Penrose PO box 12481
Auckland New Zealand
Tel. +64 96360641
E-mail: David@worral.co.nz

NORWAY
RACING DEPOT A/S
GRAVARSVIEIEN, 36
SANDNES
Tel. +47 51686270
E-mail: morten.forus@racingdepot.no

PHILIPPINES
YKK Trading
68-74 Legaspi Street
CEBU CITY 6000 PHILIPPINES
Tel. +636332.2558853
E-mail: johngm@ykkbikes.com

SINGAPORE - INDONESIA
KIAN HONG CYCLE PTE LTD
13 KAKI BUKIT ROAD 1
#02-08 EUNOS TECHNOLINK
SINGAPORE 415928
Tel. +65 67495787
E-mail: smiek@khcycle.com.sg

SINGAPORE - INDONESIA
TRIMEN VENTURES PTE LTD
31 BUKIT BATOK CRESCENT #01-13
WCEGA PLAZA 658070
SINGAPORE
Tel. +65 67476448
E-mail: bryan.chew@pacific.net.sg

SLOVENIA
MAXISPORT d.o.o. Letaliaka c.5 1000
Lubljana-SLOVENIJA
Tel. +386 1 547 65 00
E-mail: service@maxisport.si

SOUTH AFRICA
RIBBENS INTERNATIONAL CC
169 Meerlust Street - Willow Glen
PRETORIA SOUTH AFRICA
Tel. +27 0128075570
E-mail: jr@jjcycling.co.za

SOUTH KOREA
DAEJIN INTERNATIONAL
15 HYOSEONG-RO, NAM-GU
POHANG-SI
GYEONGSANGBUK-DO
SOUTH KOREA
Tel. +82 54/275.2216
E-mail: info.bianchi@yahoo.co.kr

DONGJIN IMPORTS CO LTD
560-5 Banghak-Dong Dobong-Gu
SEOUL SOUTH KOREA
Tel. +82 2/4997053
E-mail: kenney.dongjin@gmail.com

SPAIN
COMET DISTRIBUCIONES
COMERCIALES SL
POLIGONO ERRATZU, 440
APDO.191 - URNIETA (GUIPUZCOA)
Tel. +34-943 330 965
Fax: +34-555 658
E-mail: comet@comet.es

JAIME LLORENTE S.L.DIST.CICLISTAS
CAPITAN BLANCO ARGIBAY, 139
MADRID

TEL. +34-91 315 3496
FAX: +34- 91 3230652
E-mail: info@jaimellorete.com

CASA MASFERRER, S.A.
POL.IND.CONGOST AVDA. S.JULIAN
GRANOLLERS (BARCELONA)
Tel. +34-93 8463 444
Fax: +34-93 846 5355
E-mail: masferrer@casamasferrer.com

SWITZERLAND
GPR AG
Neugrütstraße 4 b - 8610 USTER
Tel. 0041 44 9449393
E-mail: info@gprag.ch
Website: www.gprag.ch

SWISSBIKE PIERO ZURINO GmbH
Pilatusstrasse 4
6063 DIERIKON SWITZERLAND
Tel. +41 41 748 55 50
E-mail: parts@swissbike.net
Web: www.swissbike.net

SWITZERLAND
UGD SPORT DIFFUSION SA
La Taille
2053 CERNIER
Tel. 0041 032 8536363
E-mail: info@ugd.ch
Website: www.ugd.ch

TAIWAN - CHINA
COLMAX INTERNATIONAL LTD
TAIWAN BRANCH (H.K.)
No.70, TAIYI RD., RENDE DIST.
TAINAN CITY
TAIWAN

TEL. +886-6-265 6001
Fax: +886-6-265 1388
E-mail: charis@colmax.com.tw
Web: www.colmax.com.tw

THAILAND
UWC LTD
777/5 Moo.9 Krongkarn Tip 6
BANGPLA, BANGPLEE
SAMUTPRAKAM
THAILAND
Tel. +66 23673470
E-mail: kanate@uniwave.net

UNITED KINGDOM
CYCLESPORT NORTH LTD
Unit 363 LEACH PLACE
WALTON SUMMIT CENTRE
BAMBER BRIDGE - PRESTON
LANCASHIRE
Tel. +44 (0) 1772 339220
Fax: +44 (0) 1772 339290
E-mail: sales@cyclesportnorth.co.uk
Web: www.csnb2b.co.uk

I-RIDE.CO.UK
13 Apex Park - Diplocks Way
BN27 3JU EAST SUSSEX UNITED
KINGDOM
Tel. +44 (0) 1323 445155
Fax: +44 (0) 1323 845849
E-mail: campagnoloservice@jimwalker.co.uk

CHICKEN CYCLEKIT
Unit b2, Cherrycourt Way
LU7 4UH BEDFORDSHIRE UNITED
KINGDOM
Tel. +44 (0) 1525 381347
Fax: +44 (0) 1525 385361
E-mail: sales@chickencyclekit.co.uk

MIKE DIXON IMPORT LTD
UNIT 4 WELLINGTON POINT
AMY JOHNSON WAY
BLACKPOOL BUSINESS PARK
BLACKPOOL - GB
Tel. +44 (0) 1438 798772
E-mail: mdi.ltd@btconnect.com

J.D.WHISKER LTD
16-24 BROWNFIELDS
WELWYN GARDEN CITY
HERTFORDSHIRE
ENGLAND
Tel. +44 (0) 1438 798772

U.S.A.
ACCELL NORTH AMERICA
7620 S. 192nd Street
KENT, WA 98032
Tel. 1-800-283-2453
Fax: 1-800-955-2453

EURO ASIA IMPORTS
3935 Foothill Blvd
LA CRESCENTA, CA 91214 USA
Tel. 818-248-1814
Fax: 818-248-1243

BTI - BICYCLE TECHNOLOGIES
INTERN.
33 VELOCITY WAY
SANTA FE - NEW MEXICO

QBP
6400 W. 105th Street
BLOOMINGTON, MINNESOTA 55438
Tel. 952.941.9391
Fax: 952.941.979999391 / 952.941.97 /
952.941.9799

OCHSNER INTERNATIONAL
246 E Marquardt Drive
WHEELING, IL 60090
Tel. (847) 465-8200
Fax: (847) 465-8282

J&B IMPORTS
J&B Importers, Inc.
11925 SW 128th St.
MIAMI, FL 33186
Tel. (305) 238-1866
Fax: 305 235 8056

GITA SPORTING GOODS
12600 STEELE CREEK ROAD
CHARLOTTE, N.C. 28273-3730
Tel. (800) 366-4482
Fax: (704) 588-4322

THE HAWLEY COMPANY
1181 South Lake Drive
LEXINGTON, SC 29073-7744
Tel. 803.359.3492 x149
Fax: 800.822.1985

SECURITY BICYCLE
ACCESSORIES, INC.
32 INTERSECTION STREET
HEMPSTEAD, N.Y.11550
Tel. (800) 645-2990
Fax: (516) 485-6117



CAMPAGNOLO S.R.L.

Via della Chimica, 4
36100 Vicenza - ITALY
Phone: +39 0444 225500
Fax: +39 0444 225400

www.campagnolo.com

Campagnolo®, Campy™, Super Record™, Record™, Chorus™, Athena™, EPS™, CT™, Centaur™, Veloce™, Mirage™, Xenon™, ESP™, ESP™ ACTUATION SYSTEM™, Ultra-Shift™, Vari-Cushion™, No-Bulge™, OS-Fit™, Ultra-Link™, CULT™, USB™, XPS™, MPST™, Power Torque System™, Power-Shift™, Embrace Technology™, S2 System™, CSD™, BE 11™, Revolution 11™, Campy Tech Lab™, 2-Way Fit™, Ultra-Fit™ Tubeless, 3Diamant™, Hyperon™, Neutron™, Proton™, Eurus™, Zonda™, Scirocco™, Vento™, Vento Asymmetric™, Bora™, Ghibli™, Pista™, Khamsin™, Khamsin Asymmetric™, Shamal™, Bullet™, Time Trial™, Ergobrain™, Symmetric Action™, Z-shape™, M-brace™, Even-O™, Superlative™, Floating-Link-Action™, HD-Link™, HD-L™, Exa-Drive™, Ultra-Drive™, Pro-Fit™, Pro-Fit PLUS™, Differential brakes™, Threadless™, Hiddenset™, Hiddenset TTC™, TTC™, Ergopower™, BB System™, C10™, C9™, ED™, UD™, Ultra Narrow™, Over-Torque™, UT™, Ultra-Torque™, Over-Torque™ Technology, Ultra-Hollow™, Skeleton™, Quick Shift™, QS™, Escape™, Infinite™, Champ Triple™, Race Triple™, Comp Triple™, HPW™, Mega-G3™, G3™, Grouped Spokes™, DPRO™, Dual Profile™, Ultralinear-Geometry™, Ultralinear™, Differential rims™, Differential spokes™, Ultra™, Ultra Aero™, DRSC™, RDB™, Spokes Anti-Rotation System™, Spoke Dynamic Balance™, Comp Ultra™, Comp One™, 3Diamant™, Dynamic Balance™, Full Carbon™, Multidirectional™, Unidirectional™, AC-H™, AC-S™, SC-S™, Big™, Miro™, Pro-Shop™, Tecnologia ed Emozione™ are Campagnolo Srl Trademarks.

Cronitect® is a registered Trademark of Schaeffler Group

QR Code® is registered trademarks of DENSO WAVE INCORPORATED.

Copyright(C) 2000-2010

DENSO WAVE INCORPORATED

All right reserved

Credits:

Graphic concept

CONDENSED srl - www.condensed.it

Credits:

Racing photos: ©Tim De Waele / www.tdwspport.com

Product photos: Studio Nova

Campagnolo®

WINS VINCE GAGNE GEWINNT

